GALLERY
Digital Signage Solutions

2026/2027 PRODUCT CATALOG

BRIGHTSHOW™ DIGITAL SIGNAGE SOLUTIONS

Smart. Simple. Stunning Displays.

All-in-one digital signage systems, kiosks, video walls, outdoor and artfully framed displays — engineered to engage your customers 24/7.





NEW IN THIS EDITION

- E Series 4K 65"
- BrightShow Square 33"
- Vieunite Pro Textura
- 4K Elite Outdoor
- 4K Outdoor Freestanding
- 4K Network Media Player

CALL 1-800-431-6000 or 1-800-243-2518 EMAIL sales@gallerydigitalsignage.com WEB www.gallerydigitalsignage.com

INSIDE THIS CATALOG

Contents

COMPANY

About Us 03

KIOSKS

BrightShow Monarch Elite — Black or White Pillar Display 04

BrightBuddy 05

EyeLED HD Pillar Display 06

RUGGED HD ALL-IN-ONE

BrightShow 22″ Rugged HD 07

BrightShow 32″ Rugged HD 08

BrightShow 43″ Rugged HD 09

E SERIES

BrightShow E Series 32″ 10

BrightShow E Series 43″ 11

BrightShow E Series 49″ 12

BrightShow E Series 4K 55″ 13

BrightShow E Series 4K 65″ NEW 14

SQUARE DISPLAYS

BrightShow Square 33″ NEW 15

VIDEO WALLS

BrightShow Video Wall 16

IN-WINDOW & OUTDOOR

BrightShow In-Window Display 17

BrightShow Outdoor Display 18

BrightShow 55″ 4K Elite Outdoor Display NEW 19

BrightShow 55″ 4K Elite Outdoor Freestanding Display NEW 20

STRETCH DISPLAYS

BrightShow Stretch Display 21

VIEUNITE PRO

Vieunite Pro Textura 27″ & 55″ 4K NEW 22

Vieunite Pro — Benefits 23

SOFTWARE & PLAYERS

Easy-to-Use Software 24

4K BrightShow Network Media Player NEW 25

BrightShow Digital Signage Media Player 26

NEW What's new in 2026/2027




E Series 4K 65"
Flagship 4K large-format all-in-one



BrightShow Square 33"
Attention-grabbing 1:1 format



Vieunite Pro Textura
Artfully framed 27″ & 55″ 4K displays



55" 4K Elite Outdoor
3,500-nit portrait wall display



55" 4K Outdoor Freestanding
IP56 4K digital pedestal



4K Network Media Player
Octa-core, 4K @ 120 Hz output

ABOUT GALLERY

Communicate beautifully.

Anytime, anywhere.



2009
Serving North America since

Gallery BrightShow provides the ideal digital signage solution to communicate effectively and beautifully with your customers, employees and visitors. Maximize your sales potential and increase your brand visibility — anytime, anywhere, easily and seamlessly — with Gallery BrightShow™ All-In-One Systems.

We offer the ideal solution for visual engagement in public spaces, and our expertise provides a solution that is unmatched. Since 2009, Gallery Digital Signage solutions can be found all over North America, in every vertical and every venue — delivered through A/V integrators, sign companies, nationwide installation companies and more.

Content Solutions

The Gallery Support Team can provide content creation for your digital signage — from menu boards to promotional campaigns.

www.gallerycs.com

INDUSTRIES WE SERVE

Fast casual & QSR · Food service · Healthcare · Education · Retail · Corporate · Hospitality · Public sector

THE GALLERY ADVANTAGE

Tough-built systems
Engineered to outlast the competition.

Custom solutions
Experience with custom builds and product selection.

Technical guidance
Application and design expertise for every install.

Lifetime support
Instruction, training and support for the life of the equipment.

Easy to use
Systems engineered for ease of use and implementation.

CE · FCC compliant products


PILLAR KIOSK

Gallery BrightShow Monarch Elite

Black or White Pillar Display

Modern slim-line portrait digital signage kiosk system

PILLAR KIOSK





A modern slim-line portrait digital signage kiosk that plays images, video, text and more. Preset templates and layouts are included, with full calendar and day-part scheduling. Manage it locally or over your LAN — upload media right from your network desktop, smartphone or tablet. The bright 49″ or 55″ HD screen sits behind locking access doors for security, in a sleek ergonomic cabinet fabricated in powder-coated titanium white steel and glass. Powered by the Gallery BrightShow all-in-one display system.

KEY FEATURES

- High Definition format (9:16)
- Brightness 450 cd/m²
- Built-in speakers
- Drop-down wheels in base
- Custom logo can be applied
- 3,000:1 contrast ratio
- LAN and WiFi enabled
- Locking access door
- Tight footprint — only 22″ deep
- Includes BrightShow content management system

SPECIFICATIONS

Screen Size	49″ or 55″
Resolution	1920 × 1080 HD
Orientation	Portrait (9:16)
Brightness	450 cd/m²
Contrast	3,000:1
Connectivity	LAN & WiFi
Depth	22″ footprint
Finish	Black or titanium white

IDEAL FOR

Hotels, banks, retail, restaurants, hospitals & lobbies.

Super Slim Profile · **24/7 Usage** · **Integrated Speakers** · **Integrated Castors**

PORTABLE INDOOR / OUTDOOR

Gallery BrightBuddy

Indoor / Outdoor Mobile Digital Signage

Designer portable, battery-powered digital signage display system



An all-in-one, battery-powered digital signage system that goes wherever your customers are. It plays images, sound and video by playlist with plug-and-play USB media input. With a 1,500-nit, anti-glare, IP65-rated screen and wheels for easy positioning, BrightBuddy is equally at home on a patio, a sidewalk or a busy lobby — perfect for hotels, banks, retail, restaurants, hospitals and lobbies.

KEY FEATURES

- 43″ IPS commercial-rated display
- Adjustable display brightness
- Portable with wheels
- 1,500 nits high brightness
- Sleek, modern look
- Easy positioning
- Battery lasts up to 20 hours per charge
- Embedded media player
- Anti-glare display screen
- Outdoor IP65 NEMA rated
- Easy to update messaging

SPECIFICATIONS

Screen Size	43″ IPS
Brightness	1,500 nits
Rating	IP65 / NEMA
Battery	Up to 20 hrs per charge
Screen Area	37.1″ × 21″
Overall Size	46.6″ × 24″
Depth (open)	18″
Media	USB plug & play

IDEAL FOR

Sidewalk promotions, patios, events, lobbies, retail and food service.

1,500 cd/m² Brightness · **Battery Powered** · **IP65 Weatherproof** · **Built-in Wheels**

LED PILLAR

Gallery EyeLED HD Pillar Display

Designer portrait LED digital signage display system

LED PILLAR



An elegant portrait LED kiosk that plays images, video, text and more, with preset templates, full calendar and day-part scheduling, and local or LAN management. The ultra-bright 80″ slim P1.8 mm DV LED panel expands seamlessly — add up to five segments together to create a 147″, 3200 × 1920 LED video wall. A high-end performer for retail, trade show events, hotels, banks and lobbies.

SPECIFICATIONS

Base Size	80″ portrait
Max Size	147″ (5 segments)
Pixel Pitch	P1.8 mm DV LED
Brightness	800 cd/m²
Contrast	6,500:1
Depth	12″ footprint

KEY FEATURES

- High density P1.8 mm DV LED
- Modular add-on segments build a full LED video wall
- Locking access door
- Tight footprint — only 12″ deep
- Brightness 800 cd/m²
- 6,500:1 contrast ratio
- Locking wheels in base
- Includes BrightShow content management system

MODULAR CONFIGURATIONS

Columns	1×	2×	3×	4×	5×
Display Size	80″	91″	107″	126″	147″
Display Area (W×H mm)	640×1920	1280×1920	1920×1920	2560×1920	3200×1920
Resolution (px)	348×1044	696×1044	1044×1044	1078×1044	1426×1044
Aspect Ratio	1:3	2:3	1:1	4:3	5:3

RUGGED HD ALL-IN-ONE

Gallery BrightShow 22" Rugged HD

Tough, tempered-glass all-in-one digital signage

RUGGED HD ALL-IN-ONE



An all-in-one digital signage system built to take on any public space. It plays images, sound and video by playlist with plug-and-play USB media input on a bright 1920 × 1080 22″ display, protected by a tempered glass face. Low power operation (>35 W). Perfect for hotels, banks, retail, restaurants, hospitals and lobbies.

KEY FEATURES

- Rugged display
- Tempered glass protected face
- Horizontal or vertical orientation
- Easy to set up
- Works continuously to engage your customers
- 22″ performer for any public space
- Network upgrade capable
- Pre-templated
- Schedule and play

SPECIFICATIONS

Screen Size	22″
Resolution	1920 × 1080
Panel	Commercial-grade IPS
Face	Tempered glass
Power	>35 W low power
VESA	100 × 100 mm
Orientation	Landscape / Portrait
Media	USB plug & play

INCLUDED

Remote control, AC power cord, VESA (100×100mm) wall mount, key.

24/7 Usage

Protected Tempered Glass

Commercial Grade IPS

Portrait / Landscape

RUGGED HD ALL-IN-ONE

Gallery BrightShow 32" Rugged HD

Tough, tempered-glass all-in-one digital signage



An all-in-one digital signage system built to take on any public space. It plays images, sound and video by playlist with plug-and-play USB media input on a bright 1920 × 1080 32″ display, protected by a tempered glass face. Low power operation (>35 W). Perfect for hotels, banks, retail, restaurants, hospitals and lobbies.

KEY FEATURES

- Rugged display
- Tempered glass protected face
- Horizontal or vertical orientation
- Easy to set up
- Works continuously to engage your customers
- 32″ performer for any public space
- Network upgrade capable
- Pre-templated
- Schedule and play

SPECIFICATIONS

Screen Size	32″
Resolution	1920 × 1080
Panel	Commercial-grade IPS
Face	Tempered glass
Power	>35 W low power
VESA	400 × 200 mm
Orientation	Landscape / Portrait
Media	USB plug & play

INCLUDED

Remote control, AC power cord, VESA (400×200mm) wall mount, key.

24/7 Usage

Protected Tempered Glass

Commercial Grade IPS

Portrait / Landscape

RUGGED HD ALL-IN-ONE

Gallery BrightShow 43" Rugged HD

Tough, tempered-glass all-in-one digital signage



An all-in-one digital signage system built to take on any public space. It plays images, sound and video by playlist with plug-and-play USB media input on a bright 1920 × 1080 43″ display, protected by a tempered glass face. Low power operation (>35 W). Perfect for hotels, banks, retail, restaurants, hospitals and lobbies.

KEY FEATURES

- Rugged display
- Tempered glass protected face
- Horizontal or vertical orientation
- Easy to set up
- Works continuously to engage your customers
- 43″ performer for any public space
- Network upgrade capable
- Pre-templated
- Schedule and play

SPECIFICATIONS

Screen Size	43″
Resolution	1920 × 1080
Panel	Commercial-grade IPS
Face	Tempered glass
Power	>35 W low power
VESA	400 × 400 mm
Orientation	Landscape / Portrait
Media	USB plug & play

INCLUDED

Remote control, AC power cord, VESA (400×400mm) wall mount, key.

24/7 Usage

Protected Tempered Glass

Commercial Grade IPS

Portrait / Landscape

E SERIES

Gallery BrightShow E Series 32"

Elegant digital signage display system

E SERIES



An all-in-one digital signage system with a slim, low-profile bezel and steel construction. It plays images, sound and video by playlist with plug-and-play USB media input on a bright 1920 × 1080 32″ display, with low power operation (>47 W). Perfect for hotels, banks, retail, restaurants, hospitals and lobbies.

KEY FEATURES

- 32″ display with low-profile bezel
- IPS panel technology
- Wizard driven
- Network upgrade capable
- Easy to set up
- Works continuously to engage your customers
- Steel construction
- 24/7 operation
- Pre-templated
- Horizontal or vertical orientation
- Schedule and play

SPECIFICATIONS

Screen Size	32″
Resolution	1920 × 1080
Panel	IPS
Build	Steel, low-profile bezel
Power	>47 W low power
VESA	300 × 400 mm
Orientation	Landscape / Portrait
Operation	24/7

INCLUDED

Remote control, AC power cord, VESA (300×400mm) wall mount, key.

24/7 Usage

Narrow Bezel Design

Commercial Grade IPS

Portrait / Landscape

E SERIES

Gallery BrightShow E Series 43"

Elegant digital signage display system

E SERIES



An all-in-one digital signage system with a slim, low-profile bezel and steel construction. It plays images, sound and video by playlist with plug-and-play USB media input on a bright 1920 × 1080 43″ display, with low power operation (>47 W). Perfect for hotels, banks, retail, restaurants, hospitals and lobbies.

KEY FEATURES

- 43″ display with low-profile bezel
- IPS panel technology
- Wizard driven
- Network upgrade capable
- Easy to set up
- Works continuously to engage your customers
- Steel construction
- 24/7 operation
- Pre-templated
- Horizontal or vertical orientation
- Schedule and play

SPECIFICATIONS

Screen Size	43″
Resolution	1920 × 1080
Panel	IPS
Build	Steel, low-profile bezel
Power	>47 W low power
VESA	400 × 200 mm
Orientation	Landscape / Portrait
Operation	24/7

INCLUDED

Remote control, AC power cord, VESA (400×200mm) wall mount, key.

24/7 Usage

Narrow Bezel Design

Commercial Grade IPS

Portrait / Landscape

E SERIES

Gallery BrightShow E Series 49"

Elegant digital signage display system

E SERIES



An all-in-one digital signage system with a slim, low-profile bezel and steel construction. It plays images, sound and video by playlist with plug-and-play USB media input on a bright 1920 × 1080 49″ display, with low power operation (>55 W). Perfect for hotels, banks, retail, restaurants, hospitals and lobbies.

KEY FEATURES

- 49″ display with low-profile bezel
- IPS panel technology
- Wizard driven
- Network upgrade capable
- Easy to set up
- Works continuously to engage your customers
- Steel construction
- 24/7 operation
- Pre-templated
- Horizontal or vertical orientation
- Schedule and play

SPECIFICATIONS

Screen Size	49″
Resolution	1920 × 1080
Panel	IPS
Build	Steel, low-profile bezel
Power	>55 W low power
VESA	500 × 300 mm
Orientation	Landscape / Portrait
Operation	24/7

INCLUDED

Remote control, AC power cord, VESA (500×300mm) wall mount, key.

24/7 Usage

Narrow Bezel Design

Commercial Grade IPS

Portrait / Landscape

E SERIES · 4K

Gallery BrightShow E Series 4K 55"

Elegant digital signage display system

E SERIES · 4K



An all-in-one digital signage system with a slim, low-profile bezel and steel construction. It plays images, sound and video by playlist with plug-and-play USB media input on a bright 3840 × 2160 (4K) 55″ display, with low power operation (>55 W). Perfect for hotels, banks, retail, restaurants, hospitals and lobbies.

KEY FEATURES

- 55″ display with low-profile bezel
- Steel construction
- 24/7 operation
- Pre-templated
- Horizontal or vertical orientation
- Schedule and play
- 4K capable — 3840 × 2160
- IPS panel technology
- Wizard driven
- Network upgrade capable
- Easy to set up
- Works continuously to engage your customers

SPECIFICATIONS

Screen Size	55″
Resolution	3840 × 2160 (4K)
Panel	IPS
Build	Steel, low-profile bezel
Power	>55 W low power
VESA	500 × 300 mm
Orientation	Landscape / Portrait
Operation	24/7

INCLUDED

Remote control, AC power cord, VESA (500×300mm) wall mount, key.

4K Ultra HD

24/7 Usage

Narrow Bezel Design

Commercial Grade IPS

E SERIES · 4K

Gallery BrightShow E Series 4K 65" NEW


Elegant, ultra-high-definition large-format digital signage

E SERIES · 4K



NEW FOR 2026/2027





The flagship of the E Series. A bright 65″ 4K (3840 × 2160) IPS display with a low-profile bezel and steel construction, built for 24/7 operation. Like every BrightShow all-in-one, it plays images, sound and video by playlist with plug-and-play USB media input — wizard driven, pre-templated and ready to schedule. Perfect for hotels, banks, retail, restaurants, hospitals and lobbies.

KEY FEATURES

- 65″ display with low-profile bezel
- Steel construction
- 24/7 operation
- Pre-templated
- Horizontal or vertical orientation
- Schedule and play
- 4K capable — 3840 × 2160
- IPS panel technology
- Wizard driven
- Network upgrade capable
- Easy to set up
- Works continuously to engage customers

SPECIFICATIONS

Screen Size	65″
Type	Wall mount player
Resolution	3840 × 2160 (4K)
Size (in)	57.60 × 33.00 × 3.0
Brightness	450 cd/m² max
Aspect	16:9 / 9:16
Contrast	1200:1
Viewing Angle	178°
Audio	2 × 10 W + 15 W bass
Warranty	1 Year

INCLUDED

Remote control, AC power cord, VESA (600×400mm) wall mount, key.

4K Ultra HD

24/7 Usage

Narrow Bezel Design

Portrait / Landscape

SQUARE FORMAT

Gallery BrightShow Square 33" NEW

Unique square digital signage display

SQUARE FORMAT



NEW FOR 2026/2027





Break away from conventional formats. The striking 1:1 square aspect ratio immediately draws attention and stands out from standard landscape and portrait screens. This all-in-one system plays images, sound and video by playlist with plug-and-play USB media input on a bright 1920 × 1920 33″ display — beyond Full HD pixel density for crisp, close-range viewing. Low power operation (>35 W). Perfect for hotels, banks, retail, restaurants, hospitals and lobbies.

KEY FEATURES

- 33″ performer for any public space
- 1920 × 1920 — beyond Full HD
- Slim, uniform 7.98 mm bezel
- Wizard driven
- Network upgrade capable
- Schedule and play
- Square 1:1 orientation
- Anti-glare 25% haze panel
- Integrated speakers
- Pre-templated
- Easy to set up
- Optional walnut, black or white wood frame

SPECIFICATIONS

Screen Size	33″
Type	Wall mount player
Resolution	1920 × 1920
Size (in)	24.22 × 24.22 × 1.4
Brightness	420 cd/m² max
Aspect	1:1
Contrast	1200:1 typ
VESA	200 × 200 mm
Warranty	1 Year

INCLUDED

Remote control, AC power cord, VESA (200×200mm) wall mount.

1:1 Square Format

24/7 Commercial Grade

Anti-Glare Panel

Integrated Speakers

VIDEO WALL

Gallery BrightShow Video Wall

Hi-bright micro-bezel displays that mesh seamlessly into one canvas



Hi-bright 500-nit micro-bezel displays mesh seamlessly into a video wall system, with spans from 2×2 to 8×8 and beyond. Built-in tiling, smart color and temperature management and advanced heat dissipation make it simple to deploy a commanding, high-impact wall in any lobby, showroom or venue.

KEY FEATURES

- 55″ BrightShow video wall LED-backlit panels
- Smart Center Control
- Smart Temperature Control
- Advanced heat dissipation
- Wizard driven with built-in tiling function
- Smart Color Management
- Smart ID Assigning
- Micro bezel — as low as 1.8 mm

SPECIFICATIONS

Panel Size	55″
Brightness	500 nits
Bezel	As low as 1.8 mm
Configurations	2×2 to 8×8+
Backlight	LED
Tiling	Built-in, daisy chain

IDEAL FOR

Lobbies, showrooms, control rooms, retail flagships and venues.

Daisy Chain Tiling


Narrow Bezel Design

Portrait / Landscape

HIGH BRIGHTNESS

Gallery BrightShow In-Window Display

Ultra-bright 3,500-nit slim-line window signage



An ultra-bright, 3,500-nit slim-line all-in-one digital signage system that is readable in direct sunlight. Plays images, video, text and more, with preset templates, full calendar and day-part scheduling, and local or LAN management. Available in 43″, 49″, 55″, 65″ and 75″ HD 1920 × 1080 sizes in a sleek, ergonomic powder-coated steel and glass design — portrait or landscape.

KEY FEATURES

- Available in 43″ – 75″ sizes
- Direct sunlight readable
- Vertical or horizontal
- Includes BrightShow content management system
- 3,500 nits brightness
- 24-hour operation
- Single or double-sided displays available

SPECIFICATIONS

Sizes	43″ / 49″ / 55″ / 65″ / 75″
Resolution	1920 × 1080 HD
Brightness	3,500 nits
Operation	24 hours
Sides	Single or double
Build	Powder-coated steel & glass

IDEAL FOR

Storefront windows, banks, restaurants, real estate and retail.

3,500 cd/m² Brightness


24/7 Usage

110°C Anti-Blackening

OUTDOOR

Gallery BrightShow Outdoor Display

Engage the great outdoors — sunlight readable and weatherproof



Engage the great outdoors with the BrightShow 2,500-nit all-in-one digital signage system. Plays images, video, text and more, with preset templates, full calendar and day-part scheduling, and local or LAN management. A secure, enclosed design fabricated in powder-coated steel and tempered IK10-rated glass, available in 22″ to 65″ HD 1920 × 1080 sizes, portrait or landscape.

KEY FEATURES

- Available in 22″ – 65″ sizes
- Direct sunlight readable
- Vertical or horizontal
- Includes BrightShow content management system
- 2,500 nits brightness
- 24-hour operation
- Designed for −4 °F to 122 °F

SPECIFICATIONS

Sizes	22″ – 65″
Resolution	1920 × 1080 HD
Brightness	2,500 nits
Glass	Tempered, IK10
Rating	IP65 weatherproof
Temperature	−4 °F to 122 °F

IDEAL FOR

Drive-thrus, campuses, transit, patios and building entrances.

2,500 cd/m² Sunlight Readable


IK10 Rated

IP65 Weatherproof

OUTDOOR · 4K ELITE

Gallery BrightShow 55" 4K Elite Outdoor Display NEW

Portrait 4K outdoor all-in-one — 3,500 cd/m², IP56, sunlight readable



A robust, premium outdoor display with stunning 4K clarity, powerful brightness and the latest Android 14 system, with smart sensors that keep your message front and center in any environment. A full-array local dimming panel delivers deeper blacks and vivid highlights while reducing power and heat, and the front-serviceable design gives quick access to internal components without removing the display from the wall.

KEY FEATURES

- 55″ 4K UHD (3840 × 2160) at 60 Hz
- Full-array local dimming panel
- IK10 vandal-proof, marine-grade paint
- Smart temperature, humidity & light sensors
- 2 × 10 W integrated speakers
- 3,500 cd/m² — sunlight readable
- IP56-rated enclosure, double water sealant
- Integrated Android 14 BrightShow media player
- Front-serviceable maintenance
- Free lockable wall mount included

SPECIFICATIONS

Model	GDSOD554K
Resolution	3840 × 2160 @ 60 Hz
Brightness	3,500 cd/m²
Processor	RK3568 quad-core 2 GHz
OS / Memory	Android 14 · 4 GB / 32 GB
Connectivity	HDMI 2.0 in, LAN, Wi-Fi, BT 5.0, opt. 4G
Size (H×W×D)	60.4 × 38.1 × 7.0 in
Weight	281 lb (127.5 kg)
Protection	IP56 · IK10
Operating Temp.	−22 °F to 122 °F
Power	220 W typ. / 480 W max

INCLUDED

Lockable wall mount, power lead, remote control + batteries, quick start guide.

3,500 cd/m² Sunlight Readable · **IP56 Rated Enclosure** · **4K Ultra HD** · **IK10 Vandal Proof**

OUTDOOR · FREESTANDING 4K ELITE

Gallery BrightShow 55" 4K Elite Outdoor Freestanding Display NEW

Freestanding 4K digital pedestal — 3,500 cd/m², IP56, anti-reflective UV glass



A premium freestanding outdoor display with 4K clarity, 3,500 cd/m² brightness and an integrated Android 14 media player. Local dimming across 576 zones, anti-reflective UV-protected glass that cuts internal heat by up to 71%, and an intelligent sensor network keep it performing in any weather. The anchored base can be removed for a low-profile install, and a lockable compartment houses a third-party media player if needed.

KEY FEATURES

- 55″ 4K UHD (3840 × 2160) at 60 Hz
- 576-zone full-array local dimming
- IP56 enclosure, industrial water sealant
- Integrated Android 14 media player
- Front-serviceable with secure service lock
- 3,500 cd/m² — sunlight readable
- Anti-reflective, UV-protected glass
- IK10 vandal-proof, marine-grade paint
- Smart temperature, humidity & light sensors
- Removable, ground-anchored base

SPECIFICATIONS

Model	GDSOD55PS4K
Resolution	3840 × 2160 @ 60 Hz
Brightness	3,500 cd/m²
Processor	RK3568 quad-core 2 GHz
OS / Memory	Android 14 · 4 GB / 32 GB
Connectivity	HDMI 2.0 in, LAN, Wi-Fi, BT 5.0, opt. 4G
Size (H×W×D)	79.4 × 35.4 × 7.9 in
Weight	392 lb (178 kg)
Protection	IP56 · IK10
Operating Temp.	−22 °F to 122 °F
Power	606 W max

INCLUDED

Mains power lead, locker keys × 2, remote control + batteries, quick start guide.

3,500 cd/m² Sunlight Readable · **IP56 Rated Enclosure** · **4K Ultra HD** · **Smart Sensor Control**

ULTRA-WIDE

Gallery BrightShow Stretch Display

A real showstopper — 58:9 aspect ratio, 76″ diagonal

ULTRA-WIDE





This unique display is a real showstopper thanks to its 58:9 aspect ratio and 76″ diagonal display area. The stretched format is perfect for spaces where conventional 16:9 displays won't fit — pillars, shelf edges and narrow banner gaps. Portrait or landscape mounting opens up a versatile range of applications.

KEY FEATURES

- Engineered for unconventional spaces
- 500 nits brightness
- 24-hour operation
- Built-in speakers
- Includes BrightShow content management system
- 76″ × 12″ ultra-narrow stretch display
- 4K resolution (3,840 × 600)
- Vertical or horizontal orientation
- Can be tiled or daisy-chained in series

SPECIFICATIONS

Diagonal	76″
Format	76″ × 12″, 58:9
Resolution	3840 × 600
Brightness	500 nits
Operation	24 hours
Audio	Built-in speakers

IDEAL FOR

Shelf edges, pillars, transit, banners above counters and checkout lanes.

Daisy Chain Tiling


24/7 Usage


Portrait / Landscape

ARTFULLY FRAMED DISPLAYS NEW

Vieunite Pro Textura Displays

Where digital signage meets fine art — wood-framed displays for decorator-inspired spaces





27"

Vieunite Artful 27" Textura

Fine-wood framed display that comes with the Vieunite Pro display application.

FRAME White · Black · Walnut · Pine

PERFECT FOR

- Waiting areas
- Restaurants
- Decorator-inspired signage



55" 4K

New Textura 55" 4K

4K display with HDMI input and optional BrightShow CMS or Vieunite Pro application.

FRAME Black · Walnut

PERFECT FOR

- Directory signage
- Huddle space or conference area
- Bespoke hospitality
- Decorator signage

Fine Wood Frames


4K on 55" Model

HDMI Input (55")

Vieunite Pro App or BrightShow CMS

WHY VIEUNITE PRO

A digital canvas for your brand



Strengthen Brand Awareness & Identity

Vieunite Pro helps you establish your brand in an innovative way, giving you a competitive edge. Update the artwork displayed as often as you like to ensure it always reflects your brand's values — or change the frame finish of your Textura Pro to perfectly match your décor and brand style.

Enhance Business Ambience & Customer Experiences


Elevate the atmosphere of your business in a completely new and unique way, opening the doors to a world of digital art. Captivate and inspire your audience while subtly delivering promotional content or other messaging.

Boost Employee Morale

Art has been proven to enhance creativity, improve mood and reduce stress. With Vieunite Pro you can engage with your staff in a meaningful way, fostering a sense of connection and belonging while improving overall morale and productivity.

Improve Internal Communication

Not only can you display art and promotional content on your Textura Pro digital canvas — you can also share important messages with your team. Display event photos, reminders or announcements in an eye-catching way.



GET STARTED

Bring art and messaging together.

Ask about Vieunite Pro Textura 27″ and 55″ 4K displays, frame finishes and content options.

1-800-431-6000

sales@gallerydigitalsignage.com

CONTENT MANAGEMENT

Easy-to-Use Software

Two Gallery content management systems — both with rapid publish features



MULTIPLE USERS · MULTIPLE LOCATIONS

BrightShow Cloud Portal

A cloud-based management system that lets users communicate their digital message simply and manage any number of screens from one place — managing hundreds of locations with robust operational insights.

- Easy to use, cloud-based software
- Manage an unlimited number of screens from one location
- Remote access from virtually anywhere
- Add images, videos and dynamic content 24/7
- Multi-zone display layouts
- BrightShow™ Content Management Portal

SINGLE USER · SINGLE LOCATION

SignPost

Ideal for single-user, single-location publishing through USB or the local network. Wizard-driven and pre-templated, SignPost is included with BrightShow media players and all-in-one systems.

- Publish via USB or local network
- Wizard driven & pre-templated
- Calendar scheduling and day-parting
- Rapid publish

Increase Sales

Reduce Costs

Enhance Customer Experience

Build Brand Awareness

NETWORK MEDIA PLAYER · 4K

Gallery 4K BrightShow Network Media Player NEW

Transform existing 4K screens into networked digital signage displays



Powered by the RK3576 octa-core processor (4 × Cortex-A72 + 4 × Cortex-A53 at up to 2.2 GHz) with a 6 TOPS NPU, this next-generation player delivers smooth 4K content playback at up to 120 Hz. Connect it to any screen and the internet, log in to our cloud-based CMS and update content from anywhere — no special software, dedicated PC or server required. A super-slim 32 mm aluminum heat-sink enclosure makes it ideal for 24/7 commercial use.

KEY FEATURES

- 4K HDMI output up to 4096 × 2160 @ 120 Hz
- Android 14 operating system
- Super-slim 32 mm profile
- Wi-Fi 6, Bluetooth 5.4, dual Gigabit LAN
- Removable, secure mounting brackets
- Octa-core RK3576 CPU + 6 TOPS NPU
- Cloud-based CMS — update from anywhere
- Innovative heat-sink fin enclosure
- 3 × USB ports, Micro SD, RS-232
- 24/7 commercial grade

SPECIFICATIONS

Model	DSGWR4KMP
Output	Up to 4096 × 2160 @ 120 Hz
CPU	RK3576 octa-core @ 2.2 GHz
Memory	4 GB RAM · 64 GB storage
Video	4K120 H.265/H.264/AV1/VP9
Network	2 × Gigabit LAN, Wi-Fi 6, opt. 4G
Ports	HDMI, 3 × USB, RS-232, audio, SD
Power	12 V DC · 3–6 W typ.
Size	5.4 × 4.9 × 1.3 in
Weight	1.3 lb (0.6 kg)

INCLUDED

Power adapter, mounting brackets × 2, HDMI cable, Wi-Fi antenna, remote control + batteries.

Cloud-Based Software · **Octa-Core Processor** · **4K @ 120 Hz HDMI** · **24/7 Commercial Use**

MEDIA PLAYER

Gallery BrightShow Digital Signage Media Player

Elegant, compact digital signage media player

MEDIA PLAYER





Based on our dynamic all-in-one BrightShow™ digital signage system, the media player handles images, sound and video by playlist, with plug-and-play USB media input or an enhanced network connection. A sturdy, solid-state, aluminum-encased, fan-less single-board low-power performer that turns any display into a smart sign.

KEY FEATURES

- Universal — works with any display in any public space
- HDMI or VGA output
- Built-in 4 GB NAND flash memory
- Solid-state design
- Wizard driven
- WiFi 802.11 G/N
- Horizontal or vertical orientation
- Mountable chassis
- Calendar schedule and play
- HD AV decoder
- USB or Micro SD loaded content
- Audio out
- Scheduling on/off timer
- Pre-templated
- Network upgrade capable
- Low power +5 V operation
- Extendable IR

SPECIFICATIONS

Output	HDMI or VGA
Storage	4 GB NAND flash
Content	USB / Micro SD
Wireless	WiFi 802.11 G/N
Power	+5 V low power
Chassis	Aluminum, fan-less
Size	6.10″ × 1.29″ × 4.09″

INCLUDED

Remote control, AC power cord, SignPost software & WiFi.

24/7 Usage | **Solid-State Fan-less** | **WiFi Enabled** | **Calendar Scheduling**

Let's put your message on the big screen.

Talk to a Gallery digital signage specialist about product selection, custom solutions, installation partners and content services.

CALL
1-800-431-6000
1-800-243-2518

EMAIL
sales@gallerydigitalsignage.com

WEB
www.gallerydigitalsignage.com

BECOME A RESELLER
dealer.gallerycs.com

Gallery Digital Signage is a brand of AlltecPro LLC · Specifications subject to change without notice · © 2026